



CONTENTS

E-CLASS Self-Flashing Deck Mount Skylights..... 2
 G-SERIES Curb Mount Skylight 3
 Architectural Series Skylights..... 4
 Options, Accessories & Replacement Parts..... 5 – 6
 E-CLASS Custom Size Order Form..... 7
 G-SERIES Custom Size Order Form..... 8

HOW TO ORDER

FAX 800-933-0593 | CALL 800-388-0293 (M–F 8am–7pm EST)
EMAIL standardorderentry@wascoproducts.com

CODES

SHIPPING CODES are listed for each item. Any exceptions to shipping codes are listed next to individual prices.

- A**.....1–2 Business Days
- B**.....3–4 Business Days, Non-Returnable
- C**.....15–20 Business Days¹, Non-Returnable
- D**.....Contact Factory, Non-Returnable
- E**.....Western States Only (Ships from Reno, NV)
- ***.....Custom Size Available, See Pages 7–8

¹Estimated – Depending upon Glazing Availability from Vendor

PRODUCT ORDERING CODES Unless otherwise listed, Wasco ordering codes consist of three parts:

		1 MODEL	2 SIZE	3 GLAZING			
		EF 2222 EML					
					1430	1446	2222
					Rough Opening: 14½" x 30½"	14½" x 46½"	22½" x 22½"
FIXED 1.4"–95" 3:12–13:12 LOW SLOPE			Daylight Area: 13½" x 29½"	13½" x 45½"	21½" x 21½"		
			Daylight Area Sq Ft: 2.65	4.11	3.09		
	1 EF	Deck Mount Self-Flashing Fixed					
	EMT	eMAX3	\$324 C	\$332 C	\$315		
3 EML	eMAX3 Laminated	N/A*	N/A*	\$345			
EMLW	White Laminated	N/A	N/A	\$377			
HR	Hurricane - FL#144179	\$415	\$492	\$486			

CUSTOMIZING SKYLIGHTS

CUSTOM FINISHES (See page 5)

To order custom paint finish, add **F** to the end of the unit product code and note the color. (Quaker Bronze is standard at no additional cost and does not require a code.)

Add **CC** for copper cladding.

EF2222EMLF (Aged Copper) | **EF2222EMLCC**

CUSTOM SIZES (See pages 7–8)

Custom sizes are available for eMAX3, eMAX3 Laminated or Acrylic Domed glazings on all models:

(RO: Rough Opening – ODC: Outside Dimension of Curb)

Fixed Units (**EF, GS**) – Up to 23 Square Feet
 Min RO: 14½" W or H, Max RO: 72" W or H

Fixed Unit (**GSM**) – Up to 32 Square Feet
 Min ODC: 17½" W or H, Max ODC: 120" W or H


Venting Units (**EV, EVMS, GSV, GSVMS**) – Up to 15 Square Feet
 Min RO: 22¼" W or H, Max RO: 48" W or 54" H

Acrylic Domed (**GSD**) – Up to 33 Square Feet*
 Min ODC: 17½" W or H, Max ODC: 75" W or H

*2.3 maximum ratio: Long leg divided by short leg cannot equal more than 2.3. For acrylic domed units up to 63 sq. ft., use **SS2/SA2** (page 4).


DECK MOUNT E-CLASS skylights

are fastened directly to the roof deck with supplied brackets and screws. Ideal for thinner roofing materials such as asphalt shingles. Self-flashed skylights do not require a flashing kit. Suitable for low slope roofs with no less than 3" in 12" pitch. Wasco's one piece **E-CLASS skylights require no mastic, no step flashing, and no sealants.** Skylight measurements are based on the **rough opening** in the roof.



CURB MOUNT G-SERIES

skylights are mounted on a 2x4 site-built wooden frame (curb), and are ideal for thicker roofing materials such as tile or metal. Curb mount skylights require either a flashing kit (page 6), or a custom site-built flashing system around the curb. They are suitable for flat or pitched roofs. Skylight measurements are based on the **outside dimension of the curb.**



GLAZING OPTIONS

eMAX3 Triple Silver Coated (SHIPS **A** OR **C**)

EMT Tempered over tempered, argon airspace

EML Tempered over laminated, argon airspace

Hurricane Resistant (SHIPS **C**)

HR Meets IBC/IRC/FBC and other stringent state building codes for skylights installed in Wind Zone 3 coastal applications.

White Laminated (SHIPS **E**)

EMLW Diffused lighting with a thin white opaque film laminated between two sheets of glass.

PRICES ARE WASCOS SUGGESTED PRICE ONLY. Determination of the resale price is within the sole discretion of the distributor or retailer. Prices are subject to change without notice. While Wasco has made every effort to insure the printed material in this brochure is accurate and up-to-date, errors may occur. In the event a product is listed at an incorrect price Wasco reserves the right to refuse or cancel any orders placed for product listed at the incorrect price. Wasco is engaged in continual product development and improvement and therefore, reserves the right to change or discontinue any product without notice.




SAFETY CONSIDERATIONS: Wasco skylights are designed to withstand normal elements of the weather. They are not designed to withstand human impact or falling objects. These skylights should not be walked upon under any circumstances. The owner or designer should restrict access only to authorized personnel who have been adequately cautioned as to the location of the skylights and informed of the warning above, or said owner should provide protective guard rails or screens around the skylights.

E-CLASS


No Mastic, No Step Flashing, No Sealants



EF



EV




EVMS



E-CLASS Deck Mount Self-Flashing Skylights

- For deck mount applications (not for vertical applications).
- For use with thin roofing materials such as composition, slate, wood shingles and shakes up to 3/4" thick.
- Standard sizes fit 16" and 24" on-center roof rafters.
- Model EV: Price includes screen, white crank handle and pole eye adapter.
- Model EVMS: Units include screen, factory installed solar rechargeable battery powered motor with rain sensor, remote control, and white hardware cover. A single remote can control multiple units.
- For 2230, 2238, 2246, and 3046 units, specify dimension parallel to roof ridge first. Example: EF3046 can be ordered EF4630.
- Venting unit dimensions cannot be inverted for 2254 or 3054 due to weight limitations of chain drive operator.

GLAZINGS WILL NOT SUPPORT BODY WEIGHT



Standard Sizes

Need a Custom Size? Turn to Page 7 for Custom Size Price List and Order Form

Model	Rough Opening:
1430	14½" x 30½"
1446	14½" x 46½"
2222	22½" x 22½"
2230	22½" x 30½"
2238	22½" x 38½"
2246	22½" x 46½"
2254	22½" x 54½"
3030	30½" x 30½"
3046	30½" x 46½"
3054	30½" x 54½"
4646	46½" x 46½"

LOW SLOPE
FIXED
14° - 85° | 3:12 - 137:12

Daylight Area:	13½" x 29½"	13½" x 45½"	21½" x 21½"	21½" x 29½"	21½" x 37½"	21½" x 45½"	21½" x 53½"	29½" x 29½"	29½" x 45½"	29½" x 53½"	45½" x 45½"	SHIPPING
Daylight Area Sq Ft:	2.65	4.11	3.09	4.27	5.45	6.61	7.79	5.89	9.12	10.74	14.14	
EF Deck Mount Self-Flashing Fixed												
EMT eMAX3	\$324 C	\$332 C	\$315	\$321	\$345 C	\$378	N/A*	\$373	\$440	N/A*	\$538	A
EML eMAX3 Laminated	N/A*	N/A*	\$345	\$350	\$395 C	\$428	\$500	\$428	\$513	\$599	\$646	A
EMLW White Laminated	N/A	N/A	\$377	N/A	N/A	\$460	N/A	N/A	N/A	N/A	\$709	E
HR Hurricane FL#14417.9	\$415	\$492	\$486	\$521	\$530	\$608	N/A	\$620	\$823	N/A	\$1,020	C

LOW SLOPE
VENTING
14° - 85° | 3:12 - 137:12


Daylight Area:	20%" x 20%"	20%" x 28%"	20%" x 36%"	20%" x 44%"	20%" x 52%"	28%" x 28%"	28%" x 44%"	28%" x 52%"	44%" x 44%"		
Daylight Area Sq Ft:	2.95	4.10	5.25	6.39	7.54	5.69	8.87	10.46	13.83		
EV Deck Mount Self-Flashing Manual Venting											
EMT eMAX3		\$563	\$584	\$603 C	\$647	N/A*	\$654	\$701	N/A*	\$858	B
EML eMAX3 Laminated		\$588	\$628	\$647 C	\$696	\$812	\$702	\$791	\$922	\$942	B
EMLW White Laminated		\$620	N/A	N/A	\$728	N/A	N/A	N/A	N/A	\$1,005	E
EVMS Deck Mount Self-Flashing Wireless Motorized Venting											
EMT eMAX3		\$1,369	\$1,397	\$1,412 C	\$1,468	N/A*	\$1,484	\$1,584	N/A*	\$1,779	B
EML eMAX3 Laminated		\$1,419	\$1,448	\$1,469 C	\$1,531	\$1,786	\$1,554	\$1,649	\$1,849	\$1,863	B
EMLW White Laminated		\$1,450	N/A	N/A	\$1,562	N/A	N/A	N/A	N/A	\$1,926	E

G-SERIES


Flashing Required for Site Built Curb



GS



GSV



GSVMS




GSD



G-SERIES Curb Mount Skylight

- For use with curb and flashing, minimum 3½" curb height required, not for vertical applications.
- Standard sizes fit 16" and 24" on-center roof rafters.
- Curb dimensions based upon 1½" thickness. Both the rough opening and outside curb dimension must be adhered to for proper fit.
- Model GSVMS: Units include a factory installed solar rechargeable battery powered motor with rain sensor, remote control, screen and white hardware cover. A single remote can control multiple units.
- Venting unit prices includes screen, manual venting price also includes white crank handle and pole eye adapter.
- For 2230, 2238, 2246, and 3046 units, specify dimension parallel to roof ridge first. Example: Model GS3046 can be ordered GS4630.
- Dimensions cannot be inverted for 2254 or 3054 due to weight limitations of chain drive operator.



Standard Sizes

Need a Custom Size? Turn to Page 8 for Custom Size Price List and Order Form

Outside Dimension of Curb:	17½" X 33½"	17½" X 49½"	25½" X 25½"	25½" X 33½"	25½" X 41½"	25½" X 49½"	25½" X 57½"	33½" X 33½"	33½" X 49½"	33½" X 57 ½"	49½" X 49½"
----------------------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------	-------------

Daylight Area:	13½" x 29½"	13½" x 45½"	21½" x 21½"	21½" x 29½"	21½" x 37½"	21½" x 45½"	21½" x 53½"	29½" x 29½"	29½" x 45½"	29½" x 53½"	45½" x 45½"	SHIPPING
Daylight Area Sq Ft:	2.65	4.11	3.09	4.27	5.45	6.61	7.79	5.89	9.12	10.74	14.14	

FLAT OR SLOPED ROOF
 FIXED
 1° - 85° | 1/4:12 - 137:12

GS Curb Mount Fixed Glass

EMT eMAX3	\$158 C	\$180 C	\$160	\$193	\$214 C	\$222	N/A*	\$236	\$328	N/A*	\$365	A
EML eMAX3 Laminated	\$234 C	\$258 C	\$193	\$227	\$240 C	\$256	\$299	\$273	\$368	\$428	\$411	A
EMLW White Laminated	N/A	N/A	\$225	N/A	N/A	\$288	N/A	N/A	N/A	N/A	\$481	E
HR Hurricane FL#14417.12	\$358	\$382	\$360	\$389	\$425	\$480	N/A	\$506	\$618	N/A	\$788	C

GSD Curb Mount Fixed Domed Acrylic

C Clear over Clear Domes			\$248	\$266	\$277	\$310	N/A*	\$328	\$389	N/A*	\$478	B
B Bronze over Clear Domes			\$254	\$278	\$292	\$330	N/A*	\$349	\$410	N/A*	\$502	B

LOW SLOPE
 VENTING
 14° - 85° | 3:12 - 137:12

GSV Curb Mount Manual Venting

EMT eMAX3			\$461	\$515	\$531 C	\$563	N/A*	\$601	\$638	N/A*	\$783	B
EML eMAX3 Laminated			\$495	\$550	\$568 C	\$611	\$713	\$647	\$722	\$809	\$836	B
EMLW White Laminated			\$600	N/A	N/A	\$643	N/A	N/A	N/A	N/A	\$899	E

GSVMS Curb Mount Wireless Motorized Venting

EMT eMAX3			\$1,348	\$1,376	\$1,391 C	\$1,447	N/A*	\$1,463	\$1,563	N/A*	\$1,758	B
EML eMAX3 Laminated			\$1,398	\$1,427	\$1,448 C	\$1,510	\$1,605	\$1,533	\$1,628	\$1,701	\$1,842	B
EMLW White Laminated			\$1,429	N/A	N/A	\$1,541	N/A	N/A	N/A	N/A	\$1,905	E

ARCHITECTURAL SERIES

Structural & Unit Skylights

MARCH 15, 2018 LIST PRICING

Wasco
SKYLIGHTS
Part of the **VELUX** Group

Custom Configurations, Finish & Glazing

- SkyMax curb mount fixed glass
- Metal-framed structural and non-structural
- Acrylic domed units, circular, and continuous vaults

FLAT OR SLOPED ROOF

FIXED GLASS

1° - 85° | 1/4:12 - 137:12

SkyMax
MAXIMUM DAYLIGHTING



10
YEAR
WARRANTY

SKYMAX® Curb Mount Fixed Glass Skylight

- Single light up to 32 square feet — 10' at longest dimension.
- For use with curb and flashing, minimum 3½" curb height required, not for vertical applications.
- Curb dimensions based upon 1½" thickness. Both the rough opening and outside curb dimension must be adhered to for proper fit.
- Meets IECC requirements in all climate zones.
- Quaker Bronze finish standard, contact Wasco for custom finish colors.
- Sizes are based upon the outside dimension of the curb (ODC). Min ODC: 17½" W or H; Max ODC: 120" W or H.

PRICING: Use the Custom Size Price and Order Form on page 8 (**GSM**).

FLAT OR SLOPED ROOF


FIXED ACRYLIC

0° - 85° | 0:12 - 137:12


SENTINEL® Fall Protection Acrylic Domed Unit Skylights

Wasco's Sentinel thermally broken unit skylights are provided with thermoformed impact modified acrylic, double or triple domed.

- Tested to compliance with AAMA\WDMA\CSA\101\I.S.2\A440 as required by the International Building Code
- Tested to 800 ft-lbs to comply with the intent of OSHA fall protection regulation 29 CFR 1910.23 (e)(8)*, Cal-OSHA Title 8, Chapter 4, Section 3212(e)(2)



DDSS2
Curb Mount



DDSA2
Deck Mount

MORE INFORMATION:

www.wasco skylights.com/product/sentinel-fall-protection
Call Wasco for Pricing: (207) 216-4603




SAFETY CONSIDERATIONS: Although these units are designed to protect against accidental falls, these skylights should not be walked upon under any circumstances. The owner or contractor should restrict access only to authorized personnel who have been adequately cautioned as to the location of the skylights.



CUSTOM CONFIGURATIONS
0° - 85° | 0:12 - 137:12

Extensive Line of Configuration, Finish, and Glazing Options


Wasco's award-winning Architectural Series offers lightweight framed residential skylighting systems that give you a custom look at an affordable cost. Choose from our versatile Pyramid Systems in Square, Octagonal and Extended Pyramid configurations... or our dramatic Low Profile System for pitched roof applications... both with a full range of glazing options including our Hurricane-Resistant glass... or the acrylic glazed Arched System for a long, continuous daylighting source.



MIAMI-DADE COUNTY
APPROVED

CUSTOM FINISHES

Designer Colors (ADD TO UNIT COST)



To order custom paint finish, add **F** to the end of the unit product code and note the color. (Quaker Bronze is standard at no additional cost and does not require a code.) Add **CC** for copper cladding.


EF2222EMLF (Aged Copper) | **EF2222EMLCC**

To order painted aluminum or copper samples, call (207) 216-4603.

			1430	1446	2222	2230	2238	2246	2254	3030	3046	3054	4646	
(UNIT CODE) F	Paint Color	\$138	\$138	\$138	\$138	\$138	\$138	\$138	\$138	\$138	\$138	\$138	\$138	C
(UNIT CODE) CC	Copper Clad	\$253	\$253	\$253	\$253	\$253	\$253	\$271	\$271	\$271	\$323	\$323	\$323	C

SHADES

SkyBlinds



SkyBlinds are pleated polyester fabric with air space. To order, list the style and size (Example: SCDW2246).

To order a swatch sheet, call (207) 216-4603.



SkyBlinds are operated by telescopic pole, sold separately.

			1430	1446	2222	2230	2238	2246	2254	3030	3046	3054	4646	
SLW(SIZE)	Frost	\$163	\$170	\$170	\$176	\$203	\$209	\$251	\$215	\$215	\$264	\$316	\$333	B
SLS(SIZE)	Oatmeal	\$163	\$170	\$170	\$176	\$203	\$209	\$251	\$215	\$215	\$264	\$316	\$333	B
SCDW(SIZE)	Eggshell	\$229	\$236	\$236	\$236	\$278	\$297	\$357	\$319	\$319	\$375	\$449	\$482	B
SCAW(SIZE)	Alabaster	\$229	\$236	\$236	\$236	\$278	\$297	\$357	\$319	\$319	\$375	\$449	\$482	B

SkyBlind Poles

2090499	3' - 6' Pole	\$43 *	B
2090599	6' - 12' Pole	\$60 *	B

* Price if shipped with SkyBlinds. Add \$10 shipping fee if ordered separately.

Fabric	Light Stopped	Heat Gain Stopped	UV Stopped
Light Filtering	35%	55%	90%
Room Darkening	99%	79%	90%

INSTALLATION ACCESSORIES



E-CLASS Metal Roof Adapter



E-CLASS Mull Kit



G-SERIES Step Flashing Kit



Metal Roof Adapter B

Size	1430	1446	2222	2230	2238	2246	2254	3030	3046	3054	4646
EMR22	N/A	N/A	\$70	\$70	\$70	\$70	\$70	N/A	N/A	N/A	N/A
EMR30	N/A	N/A	N/A	N/A	N/A	N/A	N/A	\$77	\$77	\$77	N/A
EMR46	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	\$77

Mull Kit A

Size	1430	1446	2222	2230	2238	2246	2254	3030	3046	3054	4646
2108200	\$55	\$55	\$55	\$55	\$55	\$55	\$55	\$55	\$55	\$55	\$55

Step Flashing Kit A

Size	1430	1446	2222	2230	2238	2246	2254	3030	3046	3054	4646
GSSFK22M	N/A	N/A	\$100	\$100	\$100	\$100	\$100	N/A	N/A	N/A	N/A
GSSFK30M	N/A	N/A	N/A	N/A	N/A	N/A	N/A	\$120	\$120	\$120	N/A
GSSFK46M	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	\$120

VENTING ACCESSORIES

Motorized Venting Retrofit



WLS Motor Kit 2098111 \$845 B
Retrofit the hand crank casing with the WLS Motor Kit. Includes electric motor, rain sensor and wall control unit. The WLS is a hard-wired electric motor with wall switch. Each motorized window must have its own control unit. WLS Motor and Switch cannot be ordered separately. **For factory installed wireless motor, choose model EVMS or GSVMS.**

WLS Remote Control 1145915 \$117 B
Optional replacement of wall mounted switch. Single control point for multiple skylights. Will not work with factory installed motors in EVMS or GSVMS units.

Manual Venting



SkyLight Pole 2088300 \$60 B
Aluminum pole used to open or close venting skylight.

VENTING REPLACEMENT PARTS



SkyLight Pole Eye Adapter
Replaces crank handle. (Included with EV and GSV models.)

1103001 \$19 A



White Crank Handle
(Included with EV and GSV models.)

1101701 \$19 A



Chain Drive Operator
Pole Eye Adapter Included.

1101505 KIT \$69 A



Solar Smart Remote
Used with Solar Smart Motor Only (Models EVMS/GSVMS)

SSREMOTE \$203 B




WLS Sentry II Remote
Used with WLS or HS Truth Motor Systems Only

1145915 \$117 B

REPLACEMENT GLAZING & SCREENS

Glass



Acrylic Domes



Screens




GLAZINGS WILL NOT SUPPORT BODY WEIGHT

	1430	1446	2222	2230	2238	2246	2254	3030	3046	3054	4646	
Glass A	16" x 32"	16" x 48"	24" x 24"	24" x 32"	24" x 40"	24" x 48"	24" x 56"	32" x 32"	32" x 48"	32" x 56"	48" x 48"	
eMAX3: AGLP(SIZE)EMT	\$161 C	\$184 C	\$163	\$197	\$218 C	\$226	N/A	\$242	\$334	N/A	\$373	
eMAX3 Laminated:												
AGLP(SIZE)EML	\$197	\$231	\$246 C	\$261	\$31	\$278	\$375	\$439	\$418			
White Laminated:												
AGLP(SIZE)EMLW	\$229 E	N/A	N/A	\$293 E	N/A	N/A	N/A	N/A	N/A	N/A	\$481 E	
Acrylic Domes B			24 3/8" x 24 3/8"	24 3/8" x 32 3/8"	24 3/8" x 40 3/8"	24 3/8" x 48 3/8"	N/A	32 3/8" x 32 3/8"	32 3/8" x 48 3/8"	N/A	48 3/8" x 48 3/8"	
Set: Bronze Over Clear:			RAS3(SIZE)BCS	\$274	\$339	\$345	\$370	N/A	\$385	\$404	N/A	\$506
Set: Clear Over Clear:			RAS3(SIZE)CCS	\$265	\$328	\$333	\$357	N/A	\$374	\$391	N/A	\$488
Bronze Outer Only:			TS2(SIZE)B	\$247	\$306	\$319	\$332	N/A	\$348	\$364	N/A	\$456
Clear Outer Only:			TS2(SIZE)C	\$238	\$295	\$308	\$321	N/A	\$336	\$352	N/A	\$439
Clear Inner Only:			SD2(SIZE)C	\$238	\$295	\$308	\$321	N/A	\$336	\$352	N/A	\$439
Screens B												
(Contact Wasco)	\$90	\$90	\$90	\$100	\$100	\$100	\$100	\$108	\$108			

How To Calculate Unit Cost:

All dimensions are in inches. Specify dimension parallel to roof ridge first (width).

- 1 **Unit Size** for E-Class Self-Flashing units are based upon **rough opening in the roof (RO)**. Fractional dimensions should be rounded up to the next whole number for pricing.
- 2 **List Price** – Refer to the chart below for glazing type and corresponding cost.
- 3 **Total Unit Cost** – Refer to your Distribution Discount Structure sheet for quantity discount.



1 Unit Size (RO) width + height = united inches	2 List Price united inches x list price* = unit cost	Skylight Quantity	E-Class List Price Subtotal unit cost x quantity = subtotal
Model EF – Deck Mount Self-Flashing Fixed Unit			
_____ + _____ = _____"	_____ x A B \$ _____ = \$ _____	_____	\$ _____ x _____ = \$ _____
Model EV – Deck Mount Self-Flashing Venting Unit			
_____ + _____ = _____"	_____ x C D \$ _____ = \$ _____	_____	\$ _____ x _____ = \$ _____
Model EVMS – Deck Mount Self-Flashing Solar Powered Wireless Venting Unit			
_____ + _____ = _____"	_____ x C D \$ _____ + \$805 = \$ _____	_____	\$ _____ x _____ = \$ _____

Total List Price
add all subtotals

\$ _____ + \$ _____ + \$ _____ = \$ _____

Total Unit Cost

total list price x distributor quantity discount = total unit cost
\$ _____ x _____ = \$ _____

*** List Price – Per United Inch**

Fixed (EF):	A	\$8.72	B	\$11.81	Vented (EVMS, EV):	C	\$14.14	D	\$15.34
	eMAX ³	eMAX ³ Laminated	eMAX ³	eMAX ³ Laminated	eMAX ³	eMAX ³	eMAX ³ Laminated	eMAX ³	eMAX ³ Laminated

Size Ranges Available (To calculate square feet: width x height ÷ 144 = sq. ft.)

Fixed (EF):	eMAX ³	eMAX ³ Laminated	Vented (EV, EVMS):	eMAX ³	eMAX ³ Laminated
Up to 23 Square Feet Min RO: 14½" W or H Max RO: 72" W or H	Up to 23 Square Feet Min RO: 14½" W or H Max RO: 72" W or H	Up to 23 Square Feet Min RO: 14½" W or H Max RO: 72" W or H	Up to 15 Square Feet Min RO: 22¼" W or H Max RO: 48" W or 54" H	Up to 15 Square Feet Min RO: 22¼" W or H Max RO: 48" W or 54" H	Up to 15 Square Feet Min RO: 22¼" W or H Max RO: 48" W or 54" H

I understand that this **ORDER CANNOT BE CANCELLED OR RETURNED** and verify that the above dimensions are correct. Please allow **4 weeks lead time** from Wasco's receipt of this order form.

Purchaser: _____ Phone: _____ Fax: _____

Shipping Address: _____ Purchase Order #: _____ Date: _____


Signature: _____

City: _____ State: _____ Zip: _____

How To Calculate Unit Cost:

All dimensions are in inches. Specify dimension parallel to roof ridge first (width).

- ❶ **Unit Size** for G-Series Curb Mount units sizes are based upon the **outside dimension of the curb (ODC)**. Fractional dimensions should be rounded up to the next whole number for pricing.
- ❷ **List Price** – Refer to the chart below for glazing type and corresponding cost.
- ❸ **Total Unit Cost** – Refer to your Distribution Discount Structure sheet for quantity discount.



❶ Unit Size (ODC) width + height = united inches	❷ List Price united inches x list price* = unit cost	Skylight Quantity	G-Series List Price Subtotal unit cost x quantity = subtotal
Model GS – Curb Mount Permatherm Fixed Glass			
" + " = "	" x A B =	_____	\$ _____ x _____ = \$ _____
Model GSV – Curb Mount Permatherm Vented Glass			
" + " = "	" x C D =	_____	\$ _____ x _____ = \$ _____
Model GSVMS – Curb Mount Permatherm Solar Powered Wireless Venting Unit			
" + " = "	" x C D \$ _____ + \$805 = \$ _____	_____	\$ _____ x _____ = \$ _____
Model GSD – Curb Mount Permatherm Fixed Acrylic Double Dome			
" + " = "	" x F G =	_____	\$ _____ x _____ = \$ _____
Model GSM (SkyMax) – Fixed Large Single Light Glass Unit width x height + 144 = square feet x list price* = unit cost x quantity = subtotal			
" x " ÷ 144 = _____	x E = _____	_____	\$ _____ x _____ = \$ _____
Total List Price – G-Series add subtotals (GS, GSV, GSVMS, GSD)		❸ Total Unit Cost – G-Series total list price x distributor quantity discount	
\$ _____ + \$ _____ + \$ _____ = \$ _____	\$ _____ x _____ = \$ _____	❸ Total Unit Cost – SkyMax subtotal (GSM) x distributor quantity discount	
\$ _____ + \$ _____ = \$ _____		\$ _____ x _____ = \$ _____	

*** List Price**

Fixed (GS):	A \$6.87	B \$9.69	Vented (GSV, GSVMS):	C \$13.62	D \$14.82	SkyMax (GSM):	E \$65.10
eMAX ³ eMAX ³ Laminated		eMAX ³ eMAX ³ Laminated		Clear / Clear Acrylic		G \$8.38	
Double Domed (GSD):				Bronze / Clear Acrylic F \$8.82			

Size Ranges Available (To calculate square feet: width x height ÷ 144 = sq. ft.)

Fixed (GS):	eMAX ³	eMAX ³ Laminated	SkyMax (GSM):	Laminated
Up to 26 Square Feet Min ODC: 17½" W or H Max ODC: 75" W or H	Up to 26 Square Feet Min ODC: 17½" W or H Max ODC: 75" W or H	Up to 32 Square Feet Min ODC: 17½" W or H Max ODC: 120" W or H	Up to 32 Square Feet Min ODC: 17½" W or H Max ODC: 120" W or H	Up to 32 Square Feet Min ODC: 17½" W or H Max ODC: 120" W or H
Vented (GSV, GSVMS):	Up to 15 Square Feet Min ODC: 25¼" W or H Max ODC: 51" W or 57" H	Up to 15 Square Feet Min ODC: 25¼" W or H Max ODC: 51" W or 57" H		

Double Domed (GSD):	Bronze / Clear Acrylic	Clear / Clear Acrylic
Up to 33 Square Feet* Min ODC: 17½" W or H Max ODC: 75" W or H	Up to 33 Square Feet* Min ODC: 17½" W or H Max ODC: 75" W or H	Up to 33 Square Feet* Min ODC: 17½" W or H Max ODC: 75" W or H

I understand that this **ORDER CANNOT BE CANCELLED OR RETURNED** and verify that the above dimensions are correct. Please allow **4 weeks lead time** from Wasco's receipt of this order form.

Purchaser: _____ Phone: _____ Fax: _____
 Shipping Address: _____ Purchase Order #: _____ Date: _____
 City: _____ State: _____ Zip: _____ Signature: _____